

WAY POINT LIST

STRAUBING

CODING

DISPLAY

| RNAV (GPS) Approach to RWY 27 from RDG

RDG (IAF)	N 49 02 24.97	E 012 31 35.57	N 49 02.4	E 012 31.6
STAUB (TF)	N 48 47 08.66	E 012 39 28.97	N 48 47.1	E 012 39.5
MS459 (TF)	N 48 46 19.31	E 012 49 19.70	N 48 46.3	E 012 49.3
MS439 (IF)	N 48 52 26.23	E 012 50 30.66	N 48 52.4	E 012 50.5
NEGOB (FAF)	N 48 52 52.69	E 012 45 15.34	N 48 52.9	E 012 45.3
RW27 (MAPt)	N 48 54 00.49	E 012 31 32.90	N 48 54.0	E 012 31.5
MS491 (MATF)	N 48 54 43.17	E 012 22 43.97	N 48 54.7	E 012 22.7
MS492 (MATF)	N 48 56 27.46	E 012 21 52.13	N 48 56.5	E 012 21.9
RDG (MAHF)	N 49 02 24.97	E 012 31 35.57	N 49 02.4	E 012 31.6

| RNAV (GPS) Approach to RWY 27 from STAUB

STAUB (IAF)	N 48 47 08.66	E 012 39 28.97	N 48 47.1	E 012 39.5
MS459 (TF)	N 48 46 19.31	E 012 49 19.70	N 48 46.3	E 012 49.3
MS439 (IF)	N 48 52 26.23	E 012 50 30.66	N 48 52.4	E 012 50.5
NEGOB (FAF)	N 48 52 52.69	E 012 45 15.34	N 48 52.9	E 012 45.3
RW27 (MAPt)	N 48 54 00.49	E 012 31 32.90	N 48 54.0	E 012 31.5
MS491 (MATF)	N 48 54 43.17	E 012 22 43.97	N 48 54.7	E 012 22.7
MS492 (MATF)	N 48 56 27.46	E 012 21 52.13	N 48 56.5	E 012 21.9
RDG (MAHF)	N 49 02 24.97	E 012 31 35.57	N 49 02.4	E 012 31.6

STRAUBING

WAY POINT LIST

FAS Data Block Information

DATA FIELD	DATA
OPERATION TYPE	0
SERVICE PROVIDER IDENTIFIER	1
AIRPORT IDENTIFIER	EDMS
RUNWAY	27
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	E27A
LTP/FTP LATITUDE	485400.4910N
LTP/FTP LONGITUDE	0123132.9030E
LTP/FTP ELLIPSOIDAL HEIGHT	364.1
FPAP LATITUDE	485406.0785N
FPAP LONGITUDE	0123024.1865E
THRESHOLD CROSSING HEIGHT (TCH)	50
TCH UNITS SELECTOR (METERS OR FEET)	0
GLIDEPATH ANGLE (GPA)	3.00
COURSE WIDTH AT THRESHOLD	80
LENGTH OFFSET	0
HORIZONTAL ALERT LIMIT (HAL)	40
VERTICAL ALERT LIMIT (VAL)	50
CRC REMAINDER	C6A70C6B

WAY POINT LIST

STRAUBING

RNAV (GPS) DEPARTURE ROUTES

IDENT	CODING		DISPLAY	
MS090	N 48 53 26.61	E 012 38 26.51	N 48 53.4	E 012 38.4
MS091	N 48 51 24.70	E 012 40 04.63	N 48 51.4	E 012 40.1
MS092	N 48 47 40.42	E 012 37 12.03	N 48 47.7	E 012 37.2
MS093	N 48 53 08.63	E 012 42 03.94	N 48 53.1	E 012 42.1
MS094	N 48 55 06.79	E 012 43 28.22	N 48 55.1	E 012 43.5
MS095	N 48 53 15.69	E 012 40 38.70	N 48 53.3	E 012 40.6
MS270	N 48 56 27.45	E 012 21 37.63	N 48 56.5	E 012 21.6
MS271	N 48 56 45.38	E 012 20 29.94	N 48 56.8	E 012 20.5
MS272	N 48 58 31.08	E 012 21 22.21	N 48 58.5	E 012 21.4
MS273	N 48 54 47.96	E 012 18 39.44	N 48 54.8	E 012 18.7
MS274	N 48 51 43.61	E 012 19 34.82	N 48 51.7	E 012 19.6
MAMOR	N 48 53 09.00	E 012 13 20.00	N 48 53.2	E 012 13.3
STAUB	N 48 47 08.66	E 012 39 28.97	N 48 47.1	E 012 39.5

THRESHOLD COORDINATES

THR	CODING		DISPLAY	
RWY 27	N 48 54 00.49	E 012 31 32.90	N 48 54.0	E 012 31.5
RWY 09	N 48 54 05.45	E 012 30 31.93	N 48 54.1	E 012 30.5

Seite absichtlich leer gelassen

Page intentionally left blank