

WAY POINT LIST

OBERPFAFFENHOFEN

	CODING		DISPLAY	
RNAV (GPS) Approach to RWY 22 from MAH				
MAH (IAF)	N 48 15 48.35	E 011 18 42.93	N 48 15.8	E 011 18.7
MO220 (TF)	N 48 16 21.86	E 011 22 35.64	N 48 16.4	E 011 22.6
MO221 (IF)	N 48 12 59.39	E 011 28 05.74	N 48 13.0	E 011 28.1
EDIMO (FAF)	N 48 10 02.99	E 011 24 03.39	N 48 10.0	E 011 24.1
RW22 (MAPt)	N 48 05 21.13	E 011 17 37.58	N 48 05.4	E 011 17.6
MO223 (MATF)	N 48 03 43.32	E 011 15 24.09	N 48 03.7	E 011 15.4
MO224 (MATF)	N 48 02 20.13	E 011 22 58.26	N 48 02.3	E 011 23.0
MAH (MAHF)	N 48 15 48.35	E 011 18 42.93	N 48 15.8	E 011 18.7
RNAV (GPS) Approach to RWY 22 from OBIKA				
OBIKA (IAF)	N 48 06 44.05	E 011 32 49.17	N 48 06.7	E 011 32.8
MO222 (TF)	N 48 08 58.78	E 011 34 36.46	N 48 09.0	E 011 34.6
MO221 (IF)	N 48 12 59.39	E 011 28 05.74	N 48 13.0	E 011 28.1
EDIMO (FAF)	N 48 10 02.99	E 011 24 03.39	N 48 10.0	E 011 24.1
RW22 (MAPt)	N 48 05 21.13	E 011 17 37.58	N 48 05.4	E 011 17.6
MO223 (MATF)	N 48 03 43.32	E 011 15 24.09	N 48 03.7	E 011 15.4
MO224 (MATF)	N 48 02 20.13	E 011 22 58.26	N 48 02.3	E 011 23.0
MAH (MAHF)	N 48 15 48.35	E 011 18 42.93	N 48 15.8	E 011 18.7

OBERPFAFFENHOFEN

WAY POINT LIST

GPS/FMS RNAV DEPARTURE ROUTES (OVERLAY)

IDENT	CODING		DISPLAY	
MO021	N 47 59 18.72	E 011 09 24.03	N 47 59.3	E 011 09.4
MO022	N 48 02 41.52	E 011 13 59.87	N 48 02.7	E 011 14.0
MO023	N 48 01 21.21	E 011 19 36.81	N 48 01.4	E 011 19.6

THRESHOLD COORDINATES

THR	CODING		DISPLAY	
RWY 04	N 48 04 26.53	E 011 16 23.03	N 48 04.4	E 011 16.4

WAY POINT LIST

OBERPFAFFENHOFEN

FAS Data Block Information

DATA FIELD	DATA
OPERATION TYPE	0
SERVICE PROVIDER IDENTIFIER	1
AIRPORT IDENTIFIER	EDMO
RUNWAY	22
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	E22A
LTP/FTP LATITUDE	480521.1290N
LTP/FTP LONGITUDE	0111737.5745E
LTP/FTP ELLIPSOIDAL HEIGHT	621.9
FPAP LATITUDE	480424.4095N
FPAP LONGITUDE	0111620.1425E
THRESHOLD CROSSING HEIGHT (TCH)	69
TCH UNITS SELECTOR (METERS OR FEET)	0
GLIDEPATH ANGLE (GPA)	3.00
COURSE WIDTH AT THRESHOLD	107
LENGTH OFFSET	96
HORIZONTAL ALERT LIMIT (HAL)	40
VERTICAL ALERT LIMIT (VAL)	50
CRC REMAINDER	41074175