

AD 2-ESDF-5-6

RONNEBY TOWER 119.200
RONNEBY CONTROL 128.450


THR ELEV 181 ft, AD ELEV 191 ft
 HGT are related to THR.
 Circling HGT are related to AD ELEV.
 BRG are MAG.
 ALT, HGT and ELEV in ft.

INSTRUMENT
APPROACH CHART-ICAO


1:250 000



NDB RWY 01
RONNEBY
SWEDEN



TRANSITION ALTITUDE 5000 MSL | PAPI GP 5.7% | FINAL APCH OFFSET 1°



CLIMB STRAIGHT AHEAD TO 1500,
 TURN LEFT TO LF CLIMBING TO 2000.

Final approach Distance FAF-MAPt 3.75 NM												
OCA (H)				Distance RON	DME 3		DME 2		DME 1			
				ALT (HGT)	1330(1150)		980(800)		640(460)			
Cat of ACFT	A	B	C	D	Speed	kt	80	100	120	140	160	180
Straight-in	600 (420)				Time	min:s	2:49	2:15	1:53	1:36	1:24	1:15
Circling	660 (470)	700 (510)	850 (660)	900 (710)	Rate of descent	ft/min	465	580	695	810	925	1040

ESDF-NDB RWY 01
2 JUN 2011 AIRAC AMDT 3/2011

CHANGE: Fix SUXEM new, DME dist. ALT/HGT

LFV