



Bearings are magnetic	TWR	AD ELEV	CATANIA / FONTANAROSSA	
Distances in metres	118.700	39		
Elevation in ft AMSL	GROUND	APRON ELEV	L I C C	37°28'00" N 015°03'50" E
Coordinates WGS84	129.725	15		

RWY	QFU	THR	bearing	strength
08	082°	N 37°27'56.59" E 015°03'13.66"	PCN 75/F/B/W/T	
26	262°	N 37°28'04.27" E 015°04'44.90"		

TWY IDENT	WIDTH	bearing	strength
A	23	PCN 60/F/B/W/T	
H	20	PCN 07/F/D/W/T	
B	27	PCN 60/F/B/W/T	
C	23	PCN 60/F/C/W/T	
D	20	PCN 60/F/B/W/T	
E	23	PCN 60/F/B/W/T	
F	23	PCN 46/F/B/W/T	
G	23	PCN 46/F/B/W/T	



Annual rate of change 4'E
Anomaly zone





LEGEND:

- 1) [Symbol] NO ENTRY SIGN
- 2) [Symbol] Service Road not lighted and not usable by ACFT
- 3) (*) RUNWAY HOLDING POSITION
- 4) (**) INTERMEDIATE HOLDING POSITION
- 5) (***) STOP BARS
- 6) (****) YELLOW LIGHTS
- 7) Left COV reduced to 5' and not usable last 600m before THR08
- 8) Not usable last 450m before THR26

PROVISIONS:

- a) Turn back manoeuvres must be performed on RWY heads
- b) In order to avoid damage due to jet blast or slip stream pilots are requested to taxi with minimum thrust.
- c) RWY 08/26 will be closed to all operations in the event of reported wet RWY condition associated with RWY strip flooded and cross wind component above 12 kt, except helicopters and State aircraft



CHANGE: new approach lighting systems RWY 08/26