


STAR
NDB/VOR

TRAPANI/ BIRGI

TRANSITION ALT 5000

FREQUENCIES

TRAPANI	TWR	119.700
	APP	119.950
		122.100
ROMA	ACC	128.800



CHANGE: CLASSIFICATION PALERMO CTR MODIFIED

Not to scale
R325/033 TRP
KAPIL
KAPIL ID

NDB Trapani
TRP 317.50

VORTAC Trapani
TRP 108.80
Ch 25X

Not to scale
R222/D32 TRP
MEGAN
MEGAN ID

LEGEND

- STAR
- - - STAR ATC Discretion
- ⚡ NOT TO SCALE
- - - CTR

NDB Holding Procedures		VOR Holding Procedures	
RWY 13 R	RWY 31 L	RWY 13 R	RWY 31 L

GIANO 1D (A discrezione ATC)

GIANO – TR 175° (RDL 355 TRP VOR) o TR 176° (QDR 356° TRP NDB) – TRP VORTAC (TRP NDB)

MEL/MEA: GIANO – MUSKY – RDL 355 TRP VOR (QDR 356° TRP NDB)/32 NM TRP TAC: FL 120; RDL 355 TRP VOR (QDR/QDR 356° TRP NDB)/32 NM TRP TAC – TRP VORTAC (TRP NDB): 5000 FT

GIANO 1D (ATC discretion)

GIANO – TR 175° (RDL 355 TRP VOR or TR 176° (QDR 356° TRP NDB) – TRP VORTAC (TRP NDB)

KAPIL 1D

KAPIL – TR 145° (RDL/QDR 325 TRP VOR/NDB – TRP VORTAC (TRP NDB)

KAPIL 1D

KAPIL – TR 145° (RDL/QDR 325 TRP VOR/NDB – TRP VORTAC (TRP NDB)

MEA: KAPIL – TRP VORTAC (TRP NDB): 5000 FT

MEGAN 1D

MEGAN – TR 047° (RDL 227 TRP VOR) o TR 045° (QDR 225° TRP NDB) – TRP VORTAC (TRP NDB)

MEGAN 1D

MEGAN – TR 047° (RDL 227 TRP VOR) or TR 045° (QDR 225° TRP NDB) – TRP VORTAC (TRP NDB)

MEL/MEA: MEGAN – RDL 227 TRP VOR (QDR 225° TRP NDB)/14 NM TRP TAC: FL 100; RDL 227 TRP VOR (QDR 225° TRP NDB)/14 NM TRP TAC – TRP VORTAC (TRP NDB): 5000 FT

PAN 1D (A discrezione ATC)

PAN VOR/DME – TR 020° (RDL 200 TRP VOR) o TR 019° (QDR 199° TRP NDB) – TRP VORTAC (TRP NDB)

PAN 1D (ATC discretion)

PAN VOR/DME – TR 020° (RDL 200 TRP VOR) or TR 019° (QDR 199° TRP NDB) – TRP VORTAC (TRP NDB)

MEA: PAN VOR/DME – TRP VORTAC (TRP NDB): 5000 FT

PAL 1D

PAL VOR/DME – TR 254° (RDL 074 TRP VOR) o TR 256° (QDR 076° TRP NDB) – TRP VORTAC (TRP NDB)

PAL 1D

PAL VOR/DME – TR 254° (RDL 074 TRP VOR) or TR 256° (QDR 076° TRP NDB) – TRP VORTAC (TRP NDB)

MEL/MEA: PAL VOR/DME – RDL 074 TRP VOR (QDR 076° TRP NDB)/9 NM TRP TAC: FL 90; RDL 074 TRP VOR (QDR 076° TRP NDB)/9 NM TRP TAC – TRP VORTAC (TRP NDB): 5000 FT

PRS 1D (A discrezione ATC)

PRS VOR/DME – TR 237° (RDL 057 TRP VOR) o TR 239° (QDR 059° TRP NDB) – TRP VORTAC (TRP NDB)

PRS 1D (ATC discretion)

PRS VOR/DME – TR 237° (RDL 057 TRP VOR) or TR 239° (QDR 059° TRP NDB) – TRP VORTAC (TRP NDB)

MEL/MEA: PRS VOR/DME – RDL 057 TRP VOR (QDR 059° TRP NDB)/5 NM TRP TAC: FL 90; RDL 057 TRP VOR (QDR 059° TRP NDB)/5 NM TRP TAC – TRP VORTAC (TRP NDB): 5000 FT

Intenzionalmente bianca

Intentionally left blank