



Missed APCH climb gradient requirement	STRAIGHT-IN APPROACH ¹⁾		Remark
	A	B	
2.5%	OCA(H) LNAV		see note ²⁾
6.4%	2310 ²⁾ (905)		
	2010 ²⁾ (605)		
	OCA(H) LPV		
2.5%	2060 ²⁾ (655)		
6.8%	1915 ²⁾ (510)		
CIRCLING ³⁾	A	B	Remark
OCA	2270	2320	see note ⁴⁾
VIS	1900 m	2800 m	

NOTE

¹⁾ Noise abatement:
- do not turn onto final before reaching 1.2 NM GRE.

²⁾ BRAVO-BRAVO (BB) sectors: CAUTION: MDA 4190ft when BB3 active.

³⁾ Circling:
- avoid overflying villages
- whenever possible, circling ALT 3000ft on outer downwind.

⁴⁾ No circlings north of RWY 07/25

CAUTION
Visual Segment Surface (VSS) penetrated by terrain right of track up to 1560ft.

DIST ZG503	1	2	3	4	5	6	7	8	9	10	11	11.3
DIST FTP	2.5	3.5	4.5	5.5	6.5	7.5	8.5	9.5	10.5	11.5	12.5	12.8
ALT FT	2350	2700	3060	3410	3760	4120	4470	4830	5180	5540	5890	6000

COR: BINGI replaced by NEMAG, BB Sectors and VFR REP Point, Caution note

Input Data

Parameters	Values
Operation Type	0
SBAS Provider	1
Airport Identifier	LSZG
Runway	25
Runway Direction	0
Approach Performance Designator	0
Route Indicator	
Reference Path Data Selector	0
Reference Path Identifier	E25A
LTP/FTP Latitude	471102.1000N
LTP/FTP Longitude	0072522.7445E
LTP/FTP Ellipsoidal Height (metres)	477.3
FPAP Latitude	471049.9760N
Delta FPAP Latitude (seconds)	-12.1240
FPAP Longitude	0072404.2285E
Delta FPAP Longitude (seconds)	-78.5160
Threshold Crossing Height	15.00
TCH Units Selector	1
Glidepath Angle (degrees)	3.34
Course Width (metres)	105.00
Length Offset (metres)	0
HAL (metres)	40.0
VAL (metres)	50.0

Output Data

Data Block	10 07 1A 13 0C 19 00 00 01 35 32 05 A8 C7 3F 14 71 83 2F 03 A5 26 48 A1 FF 98 9A FD 2C 81 4E 01 64 00 C8 FA B1 64 10 16
Calculated CRC Value	B1641016

Required Additional Data (not CRC wrapped)

These additional data are not required for CRC calculation, but they need to be provided to datahouses for procedure coding in ARINC 424 records.

Parameters	Values
ICAO Code	LS
LTP/FTP Orthometric Height (metres)	428.2
FPAP Orthometric Height (metres)	428.9