

**COORDINATES OF STANDS  
AIRCRAFT PARKING  
CHART - ICAO****SANKT-PETERBURG, RUSSIA  
PULKOVO****APRONS:**

Surface : Apron 1:  
segment 1 – Asphalt-Concrete,  
PCN 39/F/D/X/T,  
(Stands: 38–40)  
segment 2 – Cement-Concrete  
PCN 64/R/A/W/T,  
(Stands: 111, 112, 115–126);  
Apron 2 – Asphalt-Concrete,  
PCN 45/R/C/X/T (mixed),  
Apron 3:  
segment 1 – Asphalt-Concrete  
PCN 74/R/C/X/T (mixed),  
(Stands:65–67,70–72,74–78,,80–89, 88A, 89A);  
segment 2 – Cement-Concrete  
PCN 14/R/C/W/T,  
(Stands: 90, 91, 93–95);  
segment 3 – Cement-Concrete  
PCN 71/R/C/W/T,  
(Stand: 68),  
segment 4 – Cement-Concrete  
PCN 57/R/C/W/T,  
(Stands: 97, 97A, 98),  
apron extension – Cement-Concrete  
PCN 74/R/C/W/T,  
Stands: 79, 99–101, 101A)  
Apron 4: – Asphalt-Concrete,  
PCN 22/R/C/X/T (mixed),  
Apron 5 – Asphalt-Concrete  
PCN 28/R/C/X/T (mixed),  
Apron 6:  
segment 1 – Cement-Concrete  
PCN 90/R/A/W/T  
(Stands:601–609)  
segment 2 – Asphalt-Concrete  
PCN 100/F/D/W/T,  
(Stands: 600, 610–612)  
Apron 7:  
Cement-Concrete PCN 64/R/A/W/T  
(Stands:700–704)

**TAXIWAYS:**

Width: MAIN B, B3, B4 MAIN A, A1, A2, A4, – 22.5 m  
A1 (to apron 1), A3 – 34 m  
B1, B2, B5 – 25 m  
B8 – 30 m  
B9 – 29 m  
B10 – 15 m  
B11 – 18 m

Surface: MAIN B – Cement-Concrete, thickness is 173 cm  
B1, B2 – Cement-Concrete, thickness is 153 cm  
B3 – Cement-Concrete, thickness is 147 cm  
B4 – Cement-Concrete, thickness is 160 cm  
B5 – Cement-Concrete, thickness is 157 cm  
B8, B9 – Asphalt-Concrete, thickness is 94 cm  
B10 – Asphalt-Concrete, thickness is 65 cm  
MAIN A – Cement-Concrete, thickness is 127 cm  
A1(to apron 1) – Cement-Concrete, thickness is 150 cm  
A4 – Cement-Concrete, thickness is 150 cm  
A1, A2 – Cement-Concrete, thickness is 123 cm  
B11 – Asphalt-Concrete, thickness is 150 cm

Strength: MAIN B, B1, B2, B3, B4, B5  
– PCN 83/R/C/W/T  
B8, B9 – PCN 32/R/C/X/T  
B10 – PCN 22/R/C/X/T  
MAIN A, A1, A3, A4 – PCN 72/R/B/W/T  
A2 – PCN 95/R/B/W/T  
B11 – PCN 100/F/D/W/T

**APRON 1 stands:**

1. Stands 38, 39 are AVBL for ACFT having dimensions: length is 37.1m or less, wingspan is 29.0m or less.
2. Stand 40 is AVBL for ACFT having dimensions: length is 38.0m or less, wingspan is 34.9m or less.
3. Stands 111, 115A, 115B, 116A, 116B are AVBL for ACFT having dimensions: length is 46.0m or less, wingspan is 35.0m or less.
4. Stand 112 is AVBL for ACFT having dimensions: length is 38.0m or less, wingspan is 35.0m or less.
5. Stands 117, 118 are AVBL for ACFT having dimensions: length is 55.0m or less, wingspan is 48.0m or less.
6. Stand 119 is AVBL for ACFT having dimensions: length is 46.0m or less, wingspan is 35.0m or less.
7. Stands 121, 122, 123 are AVBL for ACFT having dimensions: length is 75.0m or less, wingspan is 65.0m or less.
8. Stands 115, 116, 120, 124, 125 are AVBL for ACFT having dimensions: length is 75.0m or less, wingspan is 78.0m or less.
9. Stands 120A, 120B, 124A, 124B, 125A, 125B are AVBL for ACFT having dimensions: length is 46.0m or less, wingspan is 34.3m or less.
10. Stand 126 is AVBL for ACFT having dimensions: length is 70.7m or less, wingspan is 62.0m or less.
11. Taxiing out of stands 38, 39, 40 shall be carried out by a tow tractor, parking onto these stands shall be carried out under own engines power.
12. Parking onto stands 111, 115, 116, 117, 118 shall be carried out by a tow tractor, taxiing out of these stands shall be carried out under own engines power.
13. Parking onto stands 112, 115A, 115B, 116A, 116B, 119, 125, 125A, 125B, 126 shall be carried out under own engines power, taxiing out of these stands shall be carried by a tow tractor.
14. Parking onto/taxiing out of stands 120, 120B, 121, 122, 124, 124A, 124B shall be carried out under own engines power.
15. Parking onto/taxiing out of stand 120A shall be carried out under own engines power for ACFT having dimensions: length is 46.0m or less, wingspan is 29.5m or less; parking onto/taxiing out of the stand shall be carried out by a tow tractor for ACFT having dimensions: length is 46.0m or less, wingspan is more than 29.5 m.
16. Parking onto/taxiing out of stand 123 shall be carried out under own engines power for ACFT having dimensions: length is 75.0m or less, wingspan is 54.0m or less; parking onto/taxiing out of the stand shall be carried out by a tow tractor for ACFT having dimensions: length is 75.0m or less, wingspan is more than 54.0 m.
17. A through taxiing is allowed along TWY A1 – Main TWY B and vice versa for ACFT with a wingspan of 65.0m or less through vacant stand 120, when stands 120A, 120B are vacant.
18. A through taxiing is allowed along TWY A1 – Main TWY B and vice versa for ACFT with a wingspan of 65.0m or less.

19. A through taxiing is allowed along Main TWY A – TWY B5 and vice versa for ACFT with a wingspan of 65.0m or less.
20. Taxiing of ACFT shall be carried out only after the “Follow-me” vehicle.

**APRON 2 stands:**

1. Through taxiing on apron is allowed under own engines power for ACFT with wingspan 34.1m or less.
2. Taxiing of ACFT with wingspan 34.1m or more and 42.0m or less from TWY B8 and TWY B9 shall be carried out by towing only.
3. Stands 52, 53, 54, 55, 56 are AVBL for ACFT having length 38.0m or less and wingspan 34.1m or less.
4. Stands 51, 57, 58, 59, 60 are AVBL for ACFT having length 37.0m or less and wingspan 29.0m or less.
5. Stands 61, 62 are AVBL for ACFT having length 48.0m or less and wingspan 42.0m or less.
6. Stand 63 is AVBL for ACFT having length 48.0m or less and wingspan 39.3m or less.
7. Parking onto/taxiing out of ACFT stands 51, 52, 53, 54, 55, 56, 57, 58, 59, 60 shall be carried out by towing.
8. Parking onto/taxiing out of stands 61, 62, 63 for ACFT having length more than 30.0m and wingspan more than 30.0m shall be carried out by only towing.
9. Parking onto stands 61, 62, 63 for ACFT with length 30.0m or less and wingspan 30.0m or less shall be carried out under own engines power via the vacant stand with smaller number. During ACFT parking onto stand 61 under own engines power, stand 60 must be vacant, during ACFT parking onto stand 62 under own engines power, stand 61 must be vacant, during ACFT parking onto stand 63 under own engines power, stand 62 must be vacant. Taxiing out of these stands shall be carried out under own engines power.
10. Parking onto/taxiing out of stands 57, 58, 59, 60 under own engines power is allowed for HEL with length 14m or less.
11. The following restrictions of intensity of ACFT taxiing on the apron are established:
  - A-319 ACFT not more than 10 taxiings per 24 hours,
  - A-320 ACFT not more than 10 taxiings per 24 hours,
  - B737-300 not more than 10 taxiings per 24 hours,
  - B737-400 ACFT not more than 10 taxiings per 24 hours,
  - B737-800 ACFT not more than 2 taxiings per H24.The operation of A-321 ACFT is not allowed.

**APRON 3 stands:**

1. Stands 65-68 are equipped with aerobridges.
2. Stand 65 is AVBL for ACFT having dimensions: length is 48.0m or less, wingspan is 38.1m or less.
3. Stand 66 is AVBL for ACFT having dimensions: length is 48.0m or less, wingspan is 38.1m or less.
4. Stand 67 is AVBL for ACFT having dimensions: length is 59.94m or less, wingspan is 48.1m or less, except for L1011.
5. Stand 68 is AVBL for ACFT having dimensions: length is 75.7m or less, wingspan is 65.0m or less.
6. Stands 70, 72, 74, 75, 76, 77, 78 (for ACFT washing) are AVBL for ACFT having dimensions: length is 48.0m or less, wingspan is 37.6m or less.
7. Stand 71 is AVBL for ACFT having dimensions: length is 37.1m or less, wingspan is 29.0m or less.

8. Stands 80, 81, 82, 83, 84, 85, 86, 87, 88, 88-A, 89 are AVBL for ACFT having dimensions: length is 25.5m or less, wingspan is 23.5m or less; stand 89-A is AVBL for ACFT having dimensions: length is 29.0m or less, wingspan is 32.0m or less.
9. Stands 79, 90, 91, 93, 94, 95 are AVBL for scheduled maintenance of ACFT without payload. Stands 90, 91, 95 are AVBL for ACFT having dimensions: length is 48.0m or less, wingspan is 37.6m or less. Stands 79, 93, 94 are AVBL for ACFT having dimensions: length is 60.3m or less, wingspan is 48.1m or less.
10. Stands 97, 98 are AVBL for ACFT having dimensions: length is 60.3m or less, wingspan is 60.1m or less. Stand 99 is AVBL for ACFT facing south-west having dimensions: length is 60.30m or less, wingspan is 65.0m or less, for ACFT facing north-east having dimensions: length is 70.7m or less, wingspan is 65.0m or less. Stand 100 is AVBL for ACFT having dimensions: length is 60.3m or less, wingspan is 42.0m or less, stand 101 is AVBL for ACFT having dimensions: length is 60.3m or less, wingspan is 48.1m or less. Stand 101-A is AVBL for ACFT having dimensions: length is 70.7m or less, wingspan is 59.6m or less.
11. Stand 97-A is AVBL for ACFT having dimensions: length is 76.5m or less, wingspan is 73.3m or less. Taxiing into stand shall be carried out under own engines power along TWY B-1, taxiing out of stand - under own engines power along TWY B-2. During taxiing into stand 97-A of ACFT with wingspan from 60.1m up to 73.3m stands 71, 72, 98 shall be vacant. When stand 97-A is occupied stand 98 is AVBL for ACFT having dimensions: length 48.0m or less, wingspan 37.6m or less. When stand 97-A is occupied taxiing along TWY B-2 is permitted for ACFT with wingspan 37.6m or less.
12. Parking onto stands 65, 66, 67, 68, 100, 101 shall be carried out under own engines power, taxiing out of these stands shall be carried out by towing. During taxiing of ACFT with wingspan 60.1m or less into/out of stand 68 stand 71 shall be vacant.
13. Parking onto stand 99 shall be carried out under own engines power facing south-west, taxiing out of stand shall be carried out by towing when stand 76 is vacant. When stand 76 is occupied parking onto and taxiing out of stand shall be carried out by towing under technicians control up to taxiing route segment between stands 97, 72. Parking onto stand 99 facing north-east shall be carried out by towing and taxiing out shall be carried out by towing under technicians control.
14. Parking onto stand 101-A and taxiing out of stand shall be carried out by towing under technicians control when stand 100 is vacant.
15. Parking onto stands 70, 72 and taxiing out of these stands shall be carried out under own engines power in south-east direction when stands 75, 76 are vacant respectively. Parking onto stand and taxiing out of stand under own engines power in north-west direction are permitted for stand 70 and are permitted for stand 72 when stand 71 is vacant.
16. Engines start-up is permitted on stand 71, therewith taxiing into stand 68 is not allowed. Parking onto stand 71 and taxiing out of stand shall be carried out under own engines power.

17. Parking onto stands 74, 75 in north-west direction shall be carried out under own engines power, taxiing out of stand shall be carried out by pushback. Parking onto stands 74, 75 in south-east direction is permitted by pushback, taxiing out of stands shall be carried out under own engines power. Parking onto stand 76 in north-west direction and south-east direction shall be carried out under own engines power, taxiing out of stand in south-east direction shall be carried out under own engines power, taxiing out of stand in north-west direction shall be carried by towing, taxiing out of stand in north-west direction is permitted under own engines power for ACFT with dimensions: length is 25.5m or less, wingspan is 23.5m or less.
18. Parking onto stand 78 and taxiing out of stand in south-east direction shall be carried out under own engines power, in north-west direction - when stand 77 is vacant. Parking onto stand 77 and taxiing out of stand shall be carried out under own engines power in south-east direction when stand 78 is vacant, in north-west direction - when stand 76 is vacant.
19. Parking onto stands 79, 90, 91, 93, 94, 95 and taxiing out of these stands shall be carried out by towing. Parking onto stands 93, 94 shall be carried out when stands 77, 78 are vacant. Parking onto stand 79 is permitted by towing under technicians control along temporary guide line (dotted line) with nose gear to be positioned on specially marked line for ACFT with dimensions: length is 70.7m or less, wingspan is 65.0m or less.
20. Parking onto stands 80, 89-A shall be carried out under own engines power. Taxiing into stands 81, 82, 83, 84, 85 under own engines power is available through vacant stand with smaller number. Taxiing into stands 86, 87, 88, 88-A, 89 under own engines power is available through vacant stand with larger number. Taxiing out of stands 80, 81, 82, 83, 84, 85, 86, 87, 88, 88-A, 89 shall be carried out under own engines power; taxiing out of stand 89-A shall be carried out under own engines power when stand 80 is vacant.
21. Parking onto stands 97, 98 and taxiing out shall be carried out under own engines power.
22. ACFT position between stands 71, 68 is AVBL for engines start-up during taxiing out of stands 67, 68.
23. Taxiing of ACFT with wingspan 48.1m or less is permitted under own engines power from taxiways B1, B2 to abeam stand 79 and vice versa. During taxiing of ACFT with wingspan from 48.1m up to 61.9m or less under own engines power from taxiways B1, B2 to abeam stand 79 and vice versa stands 76, 99, 100, 101, 101-A shall be vacant. During taxiing of ACFT with wingspan from 61.0m up to wingspan 65.0m or less under own engines power from taxiways B1, B2 to abeam stand 79 and vice versa stands 76, 72, 71, 77, 78, 97, 97-A, 99, 100, 101-A shall be vacant. When stands 76, 99, 100, 101 are occupied taxiing of ACFT with wingspan from 48.1m up to 61.0m shall be carried out by towing under technicians control, taxiing of ACFT with wingspan from 61.0m up to 65.0m shall be carried out by towing under technicians control only when stands 97, 97-A are vacant.

**APRON 4 stands:**

1. Stands 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 411A, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424 are AVBL for ACFT having length 28.0m or less, wingspan 25.0m or less.
2. Parking onto stands 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 411A, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424 shall be carried out by pushback, taxiing out of these stands shall be carried out by towing. Parking onto stands under own engines power is allowed via vacant stand having smaller number. Taxiing out of these stands under own engines power is allowed via vacant stand having larger number.
3. Through taxiing of HEL with diameter of the main rotor of 17.0m or more and 21.5m or less are allowed under own engines power only along the dotted marking line located to the south of the main ACFT taxi route up to the beam of stand 414.
4. There is a marked point for take-off/landing of all types HEL in ILS area.

**APRON 5 stands:**

1. Stands 500, 501, 502, 503, 504, 505, 506, 507, 508, 509 are AVBL for ACFT having length 30.3m or less, wingspan 28.7m or less.
2. Parking onto/taxiing out of stands 500, 501, 502, 503, 504, 505, 506, 507, 508, 509 shall be carried out by towing. Parking via vacant stand with a smaller number and taxiing out of the stands under own engines power are allowed for ACFT having length 26.0m or less, wingspan 25.0m or less.
3. Service of ACFT shall be carried out only during the daylight hours.

**APRON 6 stands:**

1. A through taxiing on apron is allowed for ACFT with wingspan 36.0 m or less.
2. Stand 600 is AVBL for ACFT with dimensions: length is 21.0 m or less, wingspan is 19.6m or less.
3. Stands 601, 602-B, 602-D, 604-D, 604-B are AVBL for ACFT having dimensions: length is 39.0 m or less, wingspan is 35.5 m or less.
4. Stands 602-A, 604-A are AVBL for ACFT having dimensions: length is 29.0 m or less, wingspan is 25.0 m or less.
5. Stands 602-C, 604-C are AVBL for ACFT having dimensions: length is 29.0m or less, wingspan is 26.0 m or less.
6. Stand 602-E is AVBL for ACFT having dimensions: length is 29.0 m or less, wingspan is 14.0 m or less.
7. Stands 603-A, 603-C, 603-E, 603-G are AVBL for ACFT having dimensions: length is 29.0m or less, wingspan is 20.0 m or less.
8. Stands 603-B, 603-D, 603-F are AVBL for ACFT having dimensions: length is 39.0 m or less, wingspan is 29.0 m or less.
9. Stand 604-E is AVBL for ACFT having dimensions: length is 29.0m or less, wingspan is 24.0 m or less.
10. Stand 605-A is AVBL for ACFT having dimensions: length is 34.0 m or less, wingspan is 26.0 m or less.
11. Stand 605-B is AVBL for ACFT having dimensions: length is 35.0 m or less, wingspan is 29.0 m or less.

12. Stand 605-C is AVBL for ACFT having dimensions: length is 39.0 m or less, wingspan is 34.8 m or less.
13. Stand 605-D is AVBL for ACFT having dimensions: length is 34.0 m or less, wingspan is 29.0 m or less.
14. Stands 606-A, 607-A, 608-A, 609-A, 610-A, 611-A, 612-A, 612-B are AVBL for ACFT having dimensions: length is 18,0 m or less, wingspan is 14.0 m or less.
15. Stands 606-C, 607-C are AVBL for ACFT having dimensions: length is 18.0 m or less, wingspan is 16.0 m or less.
16. Stands 608-C, 609-C, 610-C, 611-C are AVBL for ACFT having dimensions: length is 18.0 m or less, wingspan is 20.0 m or less.
17. Stands 608-D, 609-D, 610-D, 611-D are AVBL for ACFT having dimensions: length is 34.0 m or less, wingspan is 36.0 m or less.
18. Stands 606-D, 607-D, 612-D are AVBL for ACFT having dimensions: length is 34.0 m or less, wingspan is 35.0 m or less.
19. Stands 606-B, 607-B, 608-B, 609-B, 610-B, 611-B are AVBL for ACFT having dimensions: length is 29.9 m or less, wingspan is 25.2 m or less.
20. Parking onto stands 600, 601, 602 (A,B,C,D,E), 603 (A,B,C,D,E,F,G), 604 (A,B,C,D,E) facing north shall be carried out under own engines power, taxiing out of these stands shall be carried out by towing; parking onto these stands facing south shall be carried out by towing, taxiing out of these stands shall be carried under own engines power.
21. Parking under own engines power is permitted onto stands 602 (A,C,E) when stands 602 (B,D) are vacant accordingly, onto stands 602 (B,D) - when stands 602 (A,C,E) are vacant.  
Parking onto stands 603(A,C,E,G) is permitted when stands 603 (B,D,F) are vacant accordingly.  
Parking onto stands 603 (B,D,F)) is permitted when stands 603 (A,C,E,G) are vacant accordingly.  
Parking onto stands 604 (A,C,E) is permitted when stands 604(B,D) are vacant accordingly.  
Parking onto stands 604(B,D) is permitted when stands 604(A,C,E) are vacant accordingly.
22. Stand 605:
  - 22.1. Parking onto stands 605(A,C,D) is permitted under own engines power, taxiing out of these stands - by towing.  
Parking onto/taxiing out of stand 605-B is AVBL under own engines power.
  - 22.2. Parking onto stands 605(A,D) is permitted when stands 605(B,C) are vacant accordingly; onto stand 605-B - when stands 605(A,C,D) and stands 606(A,B,C,D) are vacant accordingly; onto stand 605-C - when stands 605(A,B,D) are vacant accordingly and stands 606(A,B,D) are vacant.
  - 22.3. ACFT taxiing out of stand 605-C is permitted only when stands 606 (A,D) are vacant.
23. Parking onto stands 606(A,C), 607(A,C), 608(A,C), 609(A,C), 610(A,C), 611(A,C), 612(A,B) under own engines power is permitted when stands 606(B,D), 607(B,D), 608(B,D), 609(B,D), 610(B,D), 611(B,D), 612-D are vacant accordingly, taxiing out of these stands shall be carried out by pushback. In all other cases parking (through taxiing) of only one ACFT is permitted onto (via) vacant stand.

24. Parking onto stands 606-A, 607-A, 608-A, 609-A, 610-A, 611-A, 612-A facing north is permitted under own engines power via vacant stands 606-C, 607-C, 608-C, 609-C, 610-C, 611-C, 612-B accordingly, taxiing out of these stands shall be carried out under own engines power.
25. Parking onto stands 606-B, 607-B, 608-B, 609-B, 610-B, 611-B is permitted via vacant stands 607, 608, 609, 610, 611, 612 accordingly or by pushback, taxiing out of these stands shall be carried out under own engines power.
26. Parking onto stands 606-D, 607-D, 608-D, 609-D, 610-D, 611-D, 612-D facing south is permitted under own engines power, taxiing out of these stands shall be carried out by facing north pushback; parking onto these stands facing north shall be carried out by towing, taxiing out of stands 606-D, 607-D shall be carried out by towing, taxiing out of stands 608-D, 609-D, 610-D, 611-D, 612-D shall be carried out under own engines power.
27. Parking onto stands 606-C, 607-C, 608-C, 609-C, 610-C, 611-C, 612-B facing south is permitted under own engines power, taxiing out of these stands via vacant stands 606-A, 607-A, 608-A, 609-A, 610-A, 611-A, 612-A accordingly is permitted only for ACFT having dimensions: length is 18.0m or less, wingspan is 14.0m or less, or shall be carried out by pushback.

**APRON 7 stands:**

1. Stands 700-703 are AVBL for ACFT having dimensions: length is 70.7 m or less, wingspan is 64.95 m or less.
2. Stand 704 is AVBL for ACFT having dimensions: length is 70.7 m or less, wingspan is 59.6 m or less.
3. Taxiing of ACFT into stands 700-704 shall be carried out under own engines power after the "Follow-me" vehicle, taxiing out of the stands shall be carried out under assistance of the tow tractor.