


**INSTRUMENT
APPROACH
CHART - ICAO**

MARY, TURKMENISTAN
MARY
ILS DME, 2 NDB RWY 36R


RADAR	124.0
TOWER	122.2



Alt set: -mm(hPa on req);
-QFE(QNH on req).

BEARINGS AND TRACKS ARE MAGNETIC
ELEV, HGT, ALT IN METRES **AT 6000 OR BELOW**
FLIGHT LEVELS (FL) ARE IN FEET AT FL 210 OR ABOVE
DISTANCES ARE IN KILOMETRES

MISSED APPROACH
Climb on track 355° to (200), then turn RIGHT on track 175° climbing to (600) then according to chart.



OCA/H		A	B	C	D								
Straight-in Approach	CAT I	281(60)	281(60)	291(70)	291(70)								
	2 NDB	350(129)	350(129)	350(129)	350(129)								
	NDB	350(129)	350(129)	350(129)	350(129)								
GROUND SPEED		km/h	150	180	210	240	270	300	330	360	390	420	450
LOM-MAPt 2 NDB 2470m		min:sec	0.59	0.49	0.42	0.37	0.33	0.30	0.27	0.25	0.23	0.21	0.20
RATE OF DESCENT (Grad 5.2%)		m/s	2.2	2.6	3.0	3.4	3.9	4.3	4.7	5.2	5.6	6.0	6.5

CHANGE: OCA/H